



*Product Catalog*



*"Where there is no limit..."* <sup>TM</sup>



Presenting Autobahn Automotive Finishes.

Autobahn Automotive Finishes continues to offer a high quality line of products formulated for maximum performance and increased production.

We make our products both for the professional as well as the amateur painter. With innovative features such as universal activators and reducers, inventory can be more closely controlled for maximum profits.

Our goal at Autobahn Automotive Finishes is to provide easy to use, high quality refinish products at an affordable cost.

Choose Autobahn, "Where there is no limit..."





# AUTOBAHN Clear

## **AC9010 Urethane Production Clear**

An easy to use two component medium solids clearcoat offering excellent gloss and DOI combined with superior buffability. Available in gallons and quarts. Mix 4:1 with our Universal Catalysts (AH6070, AH6080, and AH6090).

## **AC9015 Urethane Clear**

A slow drying user friendly clearcoat that produces an extremely durable finish. Available in gallons. Mix 4:1 with our AH 6370, AH6380, or AH6390.

## **AC9030 Speed Clear**

High performance speed clearcoat offering a rapid through cure while maintaining superior gloss and durability. Available in gallons and quarts. Mix 4:1 with our Universal Catalysts (AH6070, AH6080, and AH6090).

## **AC9035 Express Cure Clear**

Extremely fast curing high gloss clearcoat able to be buffed in 30 min. Apply wet on wet (no flash between coats). Perfect for the quickest of jobs. Available in gallons and quarts. Mix 4:1 with our Express Activator (AH6570, AH6580, and AH6590).

## **AC9040 Euro Clear**

Euro clearcoat is a premium two component clear that has excellent gloss and DOI in addition to superior durability. Available in 5 liter cans. Mix 2:1 with our 2.5L Urethane Catalysts (AH6270, AH6280, and AH6290).

## **AC9044 4+1 Glamour Clear**

A 4:1 version of our popular AC9045 2+1 Glamour Clear. The new favorite clear of discriminating painters for its ease to work with and the finish it provides. Available in gallons and quarts. Mix 4:1 with our AH6470, AH6480, or AH6490.

## **AC9045 2+1 Glamour Clear**

A high solids clearcoat offering superior gloss, outstanding adhesion, and excellent durability. Made from premium components. The favorite clear of discriminating painters for its ease to work with and the finish it provides. Available in gallons and quarts. Mix 2:1 with our AH6170, AH6180, or AH6190.

## **AC9082 Show Car Clear**

Show Car Clear yields a magnificent finish with superior gloss, excellent durability, and easy buffing. Fortified with UV protection, this clearcoat will give any vehicle a showcar finish. Available in gallons and quarts. Mix 1:1 with Show Car Clear Activator (AH2).

## **AC9185 Diamond Clear**

Diamond Clear is a fast drying user friendly clearcoat that produces an extremely durable finish. Available in gallons and quarts. Mix 4:1 with our AH6170, AH6180, or AH6190.

# AUTOBAHN PRIMERS

## ***AP8010 Acrylic Lacquer Primer (Gray)***

## ***AP8016 Acrylic Lacquer Primer (Black)***

A high quality acrylic lacquer primer offering fast dry and excellent sanding characteristics. Has excellent adhesion to properly prepared substrates. Available in gallons and quarts. Mix 1:1 with compliant solvent.

## ***AP8020 Production Prime (Gray)***

A high quality two component urethane primer surfacer that combines economical pricing with superior performance. Excellent color holdout with minimal shrinkage. Superior adhesion to properly prepared substrates. Available in gallons and quarts. Mix 5:1 with either medium or fast universal catalysts (AH6070 and AH6080).

## ***AP8030 Super Fill Urethane Primer Surfacer (Light Gray)***

## ***AP8036 Super Fill Urethane Primer Surfacer (Black)***

Two component high build urethane primer surfacer/sealer formulated for fast dry and superior sandability. Available in gallons. Mix 5:1 with either medium or fast universal catalysts (AH6070 and AH6080).

## ***AP8040 Euro Prime (Gray)***

## ***AP8041 Euro Prime Buff (Beige)***

A premium European primer surfacer/sealer designed to be used with Euro Clear's catalysts making them universal. Available in gallons. Mix 4:1 with either medium or fast urethane catalysts (AH6270 and AH6280).

## ***AP8060 2K Urethane Sealer***

A premium non-sanding urethane sealer to also be used with the Euro Catalysts. Sprays on smoothly and has excellent opacity for a slick topcoat finish and uniform ground coat for repairs. Available in gallons and quarts. Mix 4:1 with either medium or fast urethane catalysts (AH6270 and AH6280).

## ***AP8070 High Tech DTM Primer Surfacer Sealer***

Extremely versatile High Tech two component primer surfacer/sealer that offers high build, easy sprayability, excellent corrosion protection and easy sandability. Can be used direct to bare metal and is compatible with virtually all substrates. Available in gallons and quarts. Mix 4:1 with AH8075.

## ***AP8110 Slick Seal Primer Sealer (White)***

## ***AP8116 Slick Seal Primer Sealer (Black)***

## ***AP8120 Slick Seal Primer Sealer (Gray)***

## ***AP8174 Slick Seal Primer Sealer (Red)***

A ready-to-spray, one component, nonsanding primer sealer. Available in gallons and quarts.



**AP8316 Epoxy Primer (Black)**

**AP8320 Epoxy Primer (Gray)**

**AP8330 Epoxy Primer (Beige)**

**AP8374 Epoxy Primer (Red)**

**AP8377 Epoxy Primer (White)**

A traditional Epoxy Primer offering superior flexibility and adhesion to virtually all substrates. Has excellent corrosion protection. Available in gallons and quarts. Mix 1:1 with AP8300.

**AP8414 Self Etching Filler Primer**

AP8414 is a direct to metal two component self etch filler primer. Offers excellent adhesion and corrosion protection over all ferrous and aluminum substrates. Available in gallons. Mix 1:1 with activator (AP8415).

**AP8520 Polyester Primer Surfacer (Gray)**

A high solids, high build, primer surfacer offering excellent filling and leveling characteristics. Increased cross-linking provides exceptional holdout and adhesion. Available in gallons. Mix 100:2 (by weight) with supplied hardener.

# AUTOBAHN CATALYSTS

**AH2 Urethane Catalyst**

For exclusive use with AC9082 Show Car Clear. Available in gallons and quarts.

**AH6070 Uni Activator Fast**

**AH6080 Uni Activator Medium**

**AH6090 Uni Activator Slow**

**AH6099 Uni Activator Extra Slow**

Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 90°F. Extra Slow: 90°F and above. Available in quarts and half pints.

**AH6170 2+1 Activator Fast**

**AH6180 2+1 Activator Medium**

**AH6190 2+1 Activator Slow**

For use with AC9045. Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 90°F. Available in quarts and pints.

**AH6270 Urethane Catalyst Fast**

**AH6280 Urethane Catalyst Medium**

**AH6290 Urethane Catalyst Slow**

Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 95°F. Available in 2.5 liters, quarts, and half pints.

**AH6370 Urethane Activator Fast**  
**AH6380 Urethane Activator Medium**  
**AH6390 Urethane Activator Slow**

For use with AC9015. Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 90°F. Available in quarts and pints.

**AH6470 4+1 Activator Fast**  
**AH6480 4+1 Activator Medium**  
**AH6490 4+1 Activator Slow**

For use with AC9044. Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 90°F. Available in quarts and half pints.

**AH6570 Express Activator Fast**  
**AH6580 Express Activator Medium**  
**AH6590 Express Activator Slow**

For use with AC9035. Select the appropriate speed depending on the temperature. Fast: 60 to 70°F. Medium: 70 to 80°F. Slow: 80 to 90°F. Available in quarts and half pints.

**AH8075 DTM Activator**

For exclusive use with AP8070 High Tech DTM Primer Surfacer Sealer. Available in quarts and half pints.

**AH898 Urethane Catalyst**

A high quality urethane activator for use in urethane and polyurethane coatings. Compare to 192s. Available in quarts.

**AH901 Wet Look**

Formulated for all acrylic enamels. Enhances gloss, durability, and repairability. High solids. Available in pints.

**AH988 Urethane Catalyst**

Formulated for all synthetic enamels. Enhances gloss and durability. Available in pints.

**AHX99 Accelerator**

Used to speed up cure in 2K urethane clears and primers. Note: Will decrease work time and pot life of product. Available in pints.

**AP8300 Epoxy Activator**

For use with AutoBahn Epoxy Primers. Available in gallons and quarts mixed 1:1 with Epoxy Primer.

**AP8415 Self Etching Primer Activator**

For exclusive use with AP8415 Self Etching Primer. Available in gallons.



# AUTOBAHN REDUCERS

## **AR2040 Uni Reducer Fast**

## **AR2050 Uni Reducer Medium**

## **AR2060 Uni Reducer Slow**

## **AR2070 Uni Reducer Extra Slow**

AR series reducers are blended from high quality solvents and are compatible with all colored topcoats, clearcoats, and primer surfacers. Select the appropriate speed depending on the temperature. Fast: 50 to 70°F. Medium: 70 to 85°F. Slow: 80 to 95°F. Extra Slow: 85°F and above. Available in gallons and quarts.

## **AR2100 Ultra Flow Retarder**

AR2100 retarder contains rich solvents which retard evaporation in high temp conditions to help achieve proper flow and leveling. Can be used in all clearcoats, colored topcoats and primers. For universal use with temperatures of 90°F and above. Available in gallons and quarts.

## **AR2150 E-Z Blend Solvent**

AS2150 is used to melt the edges of spot repairs and blend areas to produce an invisible repair. Effective and easy to use. Available in convenient aerosol, gallons, and quarts.

# AUTOBAHN Miscellaneous

## **AP8099 E-Z Grip Plastic Adhesion Promoter**

One component adhesion promoter formulate for superior adhesion over bare plastic and painted surfaces. Excellent for areas that cannot be reached for sanding. Available in gallons, quarts, pints, and aerosols.

## **AS2900 Clean Ease**

A safe and effective solvent based cleaner that removes wax, grease, oil, fingerprints and most other contaminants without harming the substrate. Safe for all finishes. Available in gallons and quarts.

## **AS2909 Aqua Clean**

A safe and effective water based surface cleaner for removing grease, oil, and other contaminants prior to sanding and painting. Safe for all finishes and substrates. Available in gallons and quarts.

## **AS5500 Rapid Liner Tintable**

## **AS5506 Rapid Liner Black**

## **AS5599 Rapid Liner Activator**

A fast and convenient truck bed liner. Just add catalyst (and color for tintable version), shake or stir, and

### ***CPS-X1 Aqua Mask***

Aqua Mask is a water based masking agent that replaces the need to mask off with paper and tape, therefore saving time and money in the painting process. For removal, simply rinse with water and sponge or pressure wash if desired.

### ***TBL6-A Armour Liner Truck Bed Liner (Black)***

### ***TBL10-A Armour Liner Truck Bed Liner (White)***

### ***TBL-A Armour Liner Truck Bed Liner (Tintable)***

A two component polyurethane. Designed to be resistant to impact, scratching chemicals, salt water, UV lighting, also to improve the overall appearance of truck beds.



### ***AB Series Urethane Basecoat***

A high quality line of factory pack urethane basecoats. Various OEM colors available. For a complete and updated list of colors, contact your AutoBahn Automotive Finishes Representative or visit [www.autobahnfinishes.com](http://www.autobahnfinishes.com).



### ***ADG Series High Solids Acrylic Urethane Topcoat***

A high solids acrylic urethane which demonstrates excellent gloss and color retention with superior UV protection, abrasion, and impact resistance. Ideal for fleet vehicles, storage tanks, trailers, large equipment, etc. Various colors available. For a complete and updated list of colors, contact your AutoBahn Automotive Finishes Representative or visit [www.autobahnfinishes.com](http://www.autobahnfinishes.com). Available in 3/4 filled gallons. Mix 3:1 with our AH898HS.



*Notes*



*"Where there is no limit..."* <sup>TM</sup>

Distributed by:

Manufactured By:  
CPS Coatings  
Shreveport, LA 71107

318-222-6100  
318-222-8755 [fax]  
[sales@cpscoatings.net](mailto:sales@cpscoatings.net)  
[www.cpscoatings.net](http://www.cpscoatings.net)